	Application No.	Applicant(s)	
	10/020,455	BOSSELAAR ET AL.	
Notice of Allowability	Examiner .	Art Unit	,
	Michael G. Bogart	3761	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. \boxtimes This communication is responsive to <u>amendment received</u>	March 24, 2004.		
2. The allowed claim(s) is/are 1,2 and 4-22.			
3. \boxtimes The drawings filed on <u>24 March 2004</u> are accepted by the	Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority unallocation. a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application.	national stage applica	quirements
 5. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date 	es reason(s) why the oath or declara st be submitted. son's Patent Drawing Review (PTO-	ition is deficient.	OTICE OF
 (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the sheet in the she	s Amendment / Comment or in the C .84(c)) should be written on the drawing to 37 CFR 1.121(ngs in the front (not the d).	
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	ISIT OF BIOLOGICAL MATERIAL I	AL MATERIAL.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal F 6. ☑ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amenda 8. ☐ Examiner's Statema 9. ☐ Other	(PTO-413), te <u>4/26/2004</u> . ment/Comment	
	BEST AV	ALABLE C	OPY

Art Unit: 3761

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Connelly on April 26, 2004.

The application has been amended as follows:

Cancel claim 3.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Bogart whose telephone number is (703) 605-1184. The examiner can normally be reached Monday-Friday.

In the event the examiner is not available, the examiner's supervisor, John Calvert may be reached at phone number (703) 305-1025. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 746-3380 for informal communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 306-0858.

Michael Bogart 26 April 2004

BEST AVAILABLE COPY AND TO THE STATE OF THE

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700